Figure 1




Figure 2



Figure 3




Figure 4




Figure 5




Figure 6




Figure 7




Figure 8






Figure 9

Figure 10




Figure 11

ERTMPRIPTLKNLEDLVTEYHGNFSAWSGVSKGLAESLQPDYSERLCLVSEIPPK GGALGEGPGASPCNQHSPYWAPPCYTLKPET

Figure 12

LCLVSEIPPKGGALGEGPGASPCNQHSPYWAPPCYTLKPET

Figure 13

GAACGACGATGCCCCGAATTCCCACCCTGAAGAACCTAGAGGATCTTGTTA CTGAATACCACGGGAACTTTTCGGCCTGGAGTGGTGTCTAAGGGACTGGC TGAGAGTCTGCAGCCAGACTACAGTGAACGACTCTGCCTCGTCAGTGAGATT CCCCCAAAAGGAGGGCCCTTGGGGAGGGCCTGGGGCCTCCCCATGCAACC AGCATAGCCCCTACTGGGCCCCCCCATGTTACACCCTAAAGCCTGAAACCTG

Figure 14

CTCTGCCTCGTCAGTGAGATTCCCCCAAAAGGAGGGGCCCTTGGGGAGGGGCCCTGGGGCCCCCATGCAACCAGCATAGCCCCTACTGGGCCCCCCCATGTTACACCCTAAAGCCTGAAACCTGA

Figure 15

WAPPCYTLKPET

CYTOKINE-INDUCED IKK-RECRUITMENT TO THE CYC AND ACTIVATION

16A PBMC, IL2 TREATMENT MYC-NIK BJAB, IL15 TREATMENT 1h 0 0 4h ANTI-CYC ANTI-CYC IP: IP: **WB: ANTI-NIK** WB: ANTI-MYC -ANTI-CYC IP: ANTI-CYC IP: WB: ANTI-IKK1 WB: ANTI-IKK1 -CONTROL ANTI-CyC IP: WB: ANTI-IKK2 CONTROL IgG ANTI-CYC IP: WB: ANTI-NEMO

16B		•	
	TP:	ANTI-CYC	IgG
	IN VITRO IKB	-	
р	HOSPHORYLATION	l	

This Page is Inserted by IFW Indexing and Scanning Operations and is not part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

□ BLACK BORDERS
□ IMAGE CUT OFF AT TOP, BOTTOM OR SIDES
□ FADED TEXT OR DRAWING
□ BLURRED OR ILLEGIBLE TEXT OR DRAWING
□ SKEWED/SLANTED IMAGES
□ COLOR OR BLACK AND WHITE PHOTOGRAPHS
□ GRAY SCALE DOCUMENTS
□ LINES OR MARKS ON ORIGINAL DOCUMENT
□ REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY

IMAGES ARE BEST AVAILABLE COPY.

☐ OTHER:

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.